

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

DATE : 11-29-07

Paper No.: \_\_\_\_\_

TO SPE OF : ART UNIT 1661

SUBJECT : Request for Certificate of Correction for Appl. No.: 09580400 Patent No.: PP12102

Please respond to this request for a certificate of correction within 7 days.

Please review the requested changes/corrections as shown in the **COCIN** document(s) in the IFW application image. No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Please complete the response (see below) and forward the completed response to scanning using document code **COCX**.



Certificates of Correction Branch

703-308-9390 ext. 114

Thank You For Your Assistance

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes **do not** apply.

☐ **Denied**

State the reasons for denial below.

Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

  
SPE

1661  
Art Unit

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US PP12,102 P2  
 DATED : September 25, 2001  
 INVENTOR(S): Alan R. Asdoorian; Lora A. Asdoorian

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

**Column 1:**

Line 23: Replace "ORGIN" with --ORIGIN--  
 Line 32: Replace "orgin" with --origin--

**Column 2:**

Line 4: Insert --it-- between "which" and "is distinguishable"  
 Line 29: Replace "or" with --of--

**Column 3:**

Line 4: Replace "diameter 9",10" above" with  
 --diameter 9" at 10" above--  
 Line 18: Replace "scaffold" with --scaffolds--  
 Line 19: Delete "being"  
 Line 39: Insert --(.08 inch)-- after "2mm"  
 Line 62: Replace "pp#" with --Plant Patent No.--

**Column 4:**

Line 9: Replace "0.254" with --0.039--  
 Line 10: Replace "0.59 inch" with --0.059 inch--  
 Line 26: Replace "50 - red near dianthe" with  
 --Red Near Dianthus (5-K-3)--  
 Line 27: Replace "(Pale chamois)" with --Chamois (11-I-5)--  
 Line 28: Replace "0.039" with --0.39--  
 Line 32: Insert --(.72 inch)-- after "18 mm"  
 Line 58: Replace "4-8 mm" with --4-5 mm--

**MAILING ADDRESS OF SENDER:**

Mark D. Miller  
 Kimble, MacMichael & Upton  
 5260 N. Palm, Suite 221  
 Fresno, CA 93704

PATENT NO. PP12,102 P2

No. of additional copies

1 of 2 ➡

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : US PP12,102 P2

DATED : September 25, 2001

INVENTOR(S): Alan R. Asdoorian; Lora A. Asdoorian

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 5:

Line 15: Replace "SI" with --slightly--

Column 6:

Line 17: Replace "as" with --is--

Line 19: Insert --it-- between "which" and "is a bud"

Line 22: Insert --and-- between "quality" and "which"

MAILING ADDRESS OF SENDER:

Mark D. Miller  
Kimble, MacMichael & Upton  
5260 N. Palm, Suite 221  
Fresno, CA 93704

PATENT NO. PP12,102 P2

No. of additional copies

2 of 2 ➡

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.